



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/580,632	05/30/2000	Sven Mattisson	040071-134	1997

21839 7590 07/30/2003

BURNS DOANE SWECKER & MATHIS L L P
POST OFFICE BOX 1404
ALEXANDRIA, VA 22313-1404

EXAMINER

ODOM, CURTIS B

ART UNIT PAPER NUMBER

2634

DATE MAILED: 07/30/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/580,632

Applicant(s)

MATTISSON ET AL.

Examiner

Curtis B. Odom

Art Unit

2634

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 30 May 2000.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-22 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-22 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 30 May 2000 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on _____ is: a) ☐ approved b) ☐ disapproved by the Examiner.
- If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. §§ 119 and 120

- 13) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
- a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☒ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449) Paper No(s) _____.
- 4) ☐ Interview Summary (PTO-413) Paper No(s). _____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____.

DETAILED ACTION

Drawings

1. The drawings are objected to because all element of each drawing should be labeled (see Fig. 1 and 3). A proposed drawing correction or corrected drawings are required in reply to the Office action to avoid abandonment of the application. The objection to the drawings will not be held in abeyance.

Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

3. Claims 1, 3-5, 13, and 15-17 are rejected under 35 U.S.C. 102(e) as being anticipated by Shurboff (U.S. Patent No. 6, 049, 233).

Regarding claim 1, Shurboff discloses a phase detector (Fig. 5) comprising:

a first input (Fig. 5, element 528, column 4, lines 59-64) receives a first signal;

a second input (Fig. 5, element 530, column 4, lines 59-64) that receives a second signal;

a comparison circuit (Fig. 5, column 4, lines 46-58) that generates an output signal that is a function of a phase difference between the first signal and the second signal; and

an operating point circuit (Fig. 5, column 4, lines 50-67 and column 5, lines 1-3) that maintains an operating point of the phase detector such that for a predetermined range of both positive and negative phase differences between the first and second signals, the output signal is generated as a substantially linear function of the phase difference between the first signal and the second signal.

Regarding claim 3, which inherits the limitations of claim 1, Shurboff discloses the output signal is an output current signal (Fig. 5, element 536); and

the comparison circuit comprises:

a first circuit (Fig. 5, block 502, column 4, lines 4-30 and 59-67) and column 5, lines 1-3) that asserts a first charge pump control signal in response to an edge of the first signal;

a second circuit (Fig. 5, block 504, column 4, lines 4-30 and 59-67) and column 5, lines 1-3) that asserts a second charge pump control signal in response to an edge of the second signal;

a first charge pump (Fig. 5, block 506, column 4, lines 4-30 and 59-67) that contributes a positive current to the output current in response to assertion of the first charge pump control signal;

a second charge pump (Fig. 5, block 508, column 4, lines 4-30 and 59-67) that contributes a negative current to the output current in response to assertion of the second charge pump control signal;

reset logic (Fig. 5, elements 510, 512, and 514, column 5, lines 4-23) that supplies a reset signal to each of the first and second circuits in response to both of the first and second charge pump control signals being asserted, and

wherein the operating point circuit comprises:

a delay circuit (Fig. 5, block 512, column 5, lines 4-30) that delays at least one of the first and second charge pump control signals from being supplied to the reset logic, wherein a length of time that it takes the first charge pump control signal to be supplied to the reset logic is not equal to the length of time that it takes the second charge pump control signal to be supplied to the reset logic.

Regarding claim 4, which inherits the limitations of claim 3, Shurboff discloses the delay circuit delays only one of the first and second charge pump signals from being supplied to the reset logic (column 5, lines 4-30).

Regarding claim 5, which inherits the limitations of claim 3, Shurboff does not disclose the delay circuit delays both the first and second charge pump signals from being supplied to the reset logic. However, it would have been obvious to one of ordinary skill in the art at the time the invention was made that a second delay could have been implemented in the same manner as the first delay of Fig. 5 to delay the second charge pump signal. Fig. 1 of Shurboff illustrates a second delay (block 112) for a second charge pumps signal. Thus, the delay circuit delaying both the first and second charge pump signals from being supplied to the reset logic does not constitute patentability.

Regarding claim 13, the claimed method including features that correspond with subject matter mentioned above in the rejection of claim 1 is applicable hereto.

Regarding claim 15, Shurboff discloses all the subject matter of 15 (see rejection of claim 1) including deactivating (column 5, lines 4-30) the first and second charge pump control signals in response to both of the first and second charge pump control signals being asserted, and

wherein the step of maintaining the operating point of the phase detector comprises:

delaying (column 5, lines 4-30) at least one of the first and second charge pump control signals from affecting the deactivating step, wherein a length of time that it takes the first charge pump control signal to affect the deactivating step is not equal to the length of time that it takes the second charge pump control signal to affect the deactivating step.

Regarding claim 16, which inherits the limitations of claim 15, Shurboff discloses the delay circuit delays only one of the first and second charge pump signals from affecting the deactivating step (column 5, lines 4-30).

Regarding claim 17, which inherits the limitations of claim 15, Shurboff does not disclose the delay circuit delays both the first and second charge pump signals from affecting the deactivating step. However, it would have been obvious to one of ordinary skill in the art at the time the invention was made that a second delay could have been implemented in the same manner as the first delay of Fig. 5 to delay the second charge pump signal. Fig. 1 of Shurboff illustrates a second delay (block 112) for a second charge pumps signal. Thus, the delay circuit delaying both the first and second charge pump signals from affecting the deactivating step does not constitute patentability.

Claim Rejections - 35 USC § 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. Claims 6-8 and 18-20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Shurboff (U.S. Patent No. 6, 049, 233).

Regarding claims 6-8, Shurboff discloses all the limitations of claims 6-8 (see rejection of claim 3-5 except the use of voltage control signals and voltage generators which use voltage to control the phase detector instead of current as taught by Shurboff. However, it would have been obvious to one of ordinary skill in the art at the time the invention was made that it is conventional to use voltage to control a phase detector (Ranger, U.S. Patent No. 4, 818, 950). It would have also been obvious that voltage could have been used to control the phase detector of Shurboff using the same basic components (instead of a charge pump which generates current, there would be a voltage generator which generates voltage, etc) without not having to redesign the circuit. Thus the use of voltage in the phase detector is deemed a design choice and does not constitute patentability.

Regarding claims 18-20, Regarding claims 6-8, Shurboff discloses all the limitations of claims 18-20 (see rejection of claims 15-17) except the use of voltage control signals and voltage

generators which use voltage to control the phase detector instead of current as taught by Shurboff. However, it would have been obvious to one of ordinary skill in the art at the time the invention was made that it is conventional to use voltage to control a phase detector (Ranger, U.S. Patent No. 4, 818, 950). It would have also been obvious that voltage could have been used to control the phase detector of Shurboff using the same basic components (instead of a charge pump which generates current, there would be a voltage generator which generates voltage, etc) without not having to redesign the circuit. Thus the use of voltage in the phase detector is deemed a design choice and does not constitute patentability.

6. Claims 2, 9-12, 14, 21, and 22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Shurboff (U.S. Patent No. 6, 049, 233) in view of Turner (IBM Technical Disclosure Bulletin).

Regarding claim 2, which inherits the limitations of claim 1, Shurboff discloses the phase detector is employed in a PLL, whereby an output frequency of the PLL is a function of the output signal of the phase detector (Fig. 11, column 7, lines 61-64). Shurboff does not disclose the operating point circuit leaks a predefined portion of the output signal so as to prevent the leaked output signal from influencing the output frequency of the PLL.

However, Turner discloses leaking a portion of the output signal in a PLL so as to adjust the PLL to prevent the leaked output signal from influencing the PLL (pgs. 2080-2081). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the operating point circuit of Shurboff with the teachings of Turner in order to all the PLL to adjust the phase difference between the two signals precisely to overcome production tolerances of the circuit.

Regarding claim 9, Shurboff discloses a PLL (Fig. 11) comprising

- a phase detector (Fig. 11, block 500) that comprises:
 - a first input (column 7, lines 50-52) that receives a reference clock signal;
 - a second input (column 7, lines 50-52) that receives a feedback signal; and
 - a comparison circuit (Fig. 11, block 500, column 7, lines 52-55) that generates an output signal that is a function of a phase difference between the reference clock signal and the feedback signal;
- a loop filter (Fig. 11, block 1102, column 7, lines 57-59) that generates a PLL output from the phase detector output signal;
- a circuit (Fig. 11, block 1104, column 7, lines 59-61) that generates a PLL output signal that has a frequency that is controlled by the frequency control signal; and
- a frequency divider (Fig. 11, block 1106, column 7, lines 61-64) that generates the feedback signal from the PLL output signal.

Shurboff does not disclose one or more elements that leak a predefined portion of at least one of the phase detector output signal and the frequency control signal so as to prevent the leaked output signal from influencing the output frequency of the PLL.

However, Turner discloses leaking a portion of the output signal in a PLL so as to adjust the PLL to prevent the leaked output signal from influencing the PLL (pgs. 2080-2081).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the operating point circuit of Shurboff with the teachings of Turner in order to all the PLL to adjust the phase difference between the two signals precisely to overcome production tolerances of the circuit.

Regarding claim 10, which inherits the limitations of claim 9, Turner further discloses that the one or more circuit elements that leak a predefined portion of at least one of the phase detector output signal and the frequency control signal comprise:

one or more circuit elements in the loop filter that leak a predefined portion of the phase detector output signal (pg. 2081) wherein the circuit element which produces the leakage is implemented in the filter to charge the filter.

Regarding claim 11, which inherits the limitations of claim 9, Shurboff further discloses the circuit (Fig. 11, block 1104, column 7, lines 59-61) that generates a PLL output signal that is controlled by the frequency control signal is a VCO.

Regarding claim 12, which inherits the limitations of claim 9, Shurboff does not disclose the circuit that generates a PLL output signal that is controlled by the frequency control signal is a current controlled oscillator. However, it would have been obvious to one of ordinary skill in the art at the time the invention was made that a current controlled oscillator could have been implemented to perform the same function as the VCO if current was being used to control the PLL. Thus, using a current controlled oscillator is deemed a design choice and does not constitute patentability

Regarding claim 14, the claimed method including features that correspond with subject matter mentioned above in the rejection of claim 2 is applicable hereto.

Regarding claims 21 and 22, the claimed method including features that correspond with subject matter mentioned above in the rejection of claims 9 and 10 are applicable hereto.

Conclusion

7. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Werker (U.S. Patent No. 5, 103, 191) discloses a phase detector which also uses charge pump signals.

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Curtis B. Odom whose telephone number is 703-305-4097. The examiner can normally be reached on Monday- Friday, 8-5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Stephen Chin can be reached on 703-305-4714. The fax phone numbers for the organization where this application or proceeding is assigned are 703-872-9314 for regular communications and 703-872-9314 for After Final communications.


Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-305-3900.

Curtis Odom
July 20, 2003

Application/Control Number: 09/580,632

Art Unit: 2634

Page 11



STEPHEN CHIN
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2600